

## Linear PEG-Homobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
α,ω-Dihydroxyl poly(ethylene glycol)	<chem>HO-(CH2CH2O)nH</chem>	HO-PEG-OH	25322-68-3	2,000 5,000 10,000 20,000 40,000
α,ω-Dicarboxyl poly(ethylene glycol)	<chem>HOOC-CH2-O-(CH2CH2O)n-CH2-COOH</chem>	HOOC-PEG-COOH	39927-08-7	2,000 5,000 10,000 20,000 40,000
α,ω-Diamino poly(ethylene glycol)	<chem>H2N-(CH2CH2O)n-CH2CH2-NH2</chem>	H2N-PEG-NH2	24991-53-5	2,000 5,000 10,000 20,000 40,000
α,ω-Diamino poly(ethylene glycol) hydrochloride salt	<chem>HClH2N-(CH2CH2O)n-CH2CH2-NH2HCl</chem>	HCl H2N-PEG-NH2 HCl		2,000 5,000 10,000 20,000 40,000
α,ω-Dimercapto poly(ethylene glycol)	<chem>HS-(CH2CH2O)n-CH2CH2-SH</chem>	HS-PEG-SH		2,000 5,000 10,000 20,000 40,000
α,ω-Diformyl poly(ethylene glycol)	<chem>OHC-(CH2CH2O)n-CH2CH2-CHO</chem>	OHC-PEG-CHO		2,000 5,000 10,000 20,000 40,000
α,ω-Diazido poly(ethylene glycol)	<chem>N3-(CH2CH2O)n-CH2CH2-N3</chem>	N3-PEG-N3	82055-94-5	2,000 5,000 10,000 20,000 40,000
α,ω-Diisocyanato poly(ethylene glycol)	<chem>OCN-(CH2)6-NH-C(=O)-O-(CH2CH2O)n-C(=O)-NH-(CH2)6-NCO</chem>	OCN-PEG-NCO		2,000 5,000 10,000 20,000 40,000
α,ω-Dialkynyl poly(ethylene glycol)	<chem>HC≡C-CH2-O-(CH2CH2O)n-CH2-C≡CH</chem>	Alkyne -PEG-Alkyne		2,000 5,000 10,000 20,000 40,000





## Linear PEG-Homobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
$\alpha,\omega$ -Diglycidyl poly(ethylene glycol)		EO-PEG-EO	72207-80-8	2,000 5,000 10,000 20,000 40,000
$\alpha,\omega$ -Diacryloyl poly(ethylene glycol)		AA-PEG-AA	26570-48-9	2,000 3,500 5,000 10,000 20,000 40,000
$\alpha,\omega$ -Dimethacryloyl poly(ethylene glycol)		MA-PEG-MA	25852-47-5	2,000 5,000 10,000 20,000 40,000
$\alpha,\omega$ -Disuccinimidyl poly(ethylene glycol)		SC-PEG-SC		2,000 5,000 10,000 20,000 40,000
$\alpha,\omega$ -Disuccinimidyl carboxymethyl ester poly(ethylene glycol)		SCM-PEG-SCM		2,000 5,000 10,000 20,000 40,000
$\alpha,\omega$ -Dimaleimidyld poly(ethylene glycol) (ether)		MAL-PEG-MAL		2,000 5,000 10,000 20,000 40,000



## Linear PEG-Heterobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
$\alpha$ -Acryloyl- $\omega$ -hydroxyl poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\text{  }}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{H}$	AA-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Methacryloyl- $\omega$ -hydroxyl poly(ethylene glycol)	$\text{CH}_2=\overset{\text{O}}{\underset{\text{  }}{\text{C}}}-\overset{\text{CH}_3}{\underset{\text{ }}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{H}$	MA-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Alkynyl- $\omega$ -hydroxyl poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{H}$	Alkyne-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Formyl- $\omega$ -hydroxyl poly(ethylene glycol)	$\text{CHO}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{H}$	OHC-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Carboxyl- $\omega$ -hydroxyl poly(ethylene glycol)	$\text{COOH}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{H}$	HOOC-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Maleimidyl- $\omega$ -hydroxyl Poly(ethylene glycol)		MAL-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Azido- $\omega$ -hydroxyl poly(ethylene glycol)	$\text{N}_3-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{H}$	N3-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Amino- $\omega$ -hydroxyl poly(ethylene glycol)	$\text{H}_2\text{N}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{H}$	H2N-PEG-OH	32130-27-1	2,000 3,500 5,000 10,000 20,000
$\alpha$ -Succinimidyl- $\omega$ -hydroxyl poly(ethylene glycol)		SC-PEG-OH		2,000 3,500 5,000 10,000 20,000




## Linear PEG-Heterobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
$\alpha$ -Succinimidyl propionate $\omega$ -hydroxyl poly(ethylene glycol)		SPA-PEG-OH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ -carboxyl poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n-\text{CH}_2-\text{COOH}$	AA-PEG-COOH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ -formyl poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n-\text{CH}_2\text{CH}_2-\text{CHO}$	AA-PEG-CHO		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ -isocyanato poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n-\text{CH}_2\text{CH}_2-\text{NCO}$	AA-PEG-NCO		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ -azido poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)-\text{CH}_2\text{CH}_2-\text{N}_3$	AA-PEG-N3		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ -alkynyl poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)-\text{CH}_2-\text{C}\equiv\text{CH}$	AA-PEG-Alkyne		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ -glycidyl poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)-\text{CH}_2-\text{CH}(\text{O})-\text{CH}_2$	AA-PEG-EO		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ - methacryloyl poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{C}=\text{CH}_2$	AA-PEG-MA		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Acryloyl- $\omega$ -succinimidyl poly(ethylene glycol)	$\text{CH}_2=\text{CH}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{O}-\text{N}(\text{C}(=\text{O})-\text{C}(\text{=O})-\text{O})-\text{C}_3\text{H}_5$	AA-PEG-SC		2,000 3,500 5,000 10,000 20,000



## Linear PEG-Heterobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
α-Acryloyl-ω-maleimidyl poly(ethylene glycol)		AA-PEG-MA		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-carboxyl poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{CH}_2-\text{COOH}$	Alkyne-PEG-COOH		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-amino poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{CH}_2\text{CH}_2-\text{NH}_2$	Alkyne-PEG-NH2		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-formyl poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{CH}_2\text{CH}_2-\text{CHO}$	Alkyne-PEG-CHO		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-isocyanato poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{C}(=\text{O})-\text{NH}-\left(\text{CH}_2\right)_6\text{NCO}$	Alkyne-PEG-NCO		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-glycidyl poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{CH}_2-\text{CH}(\text{O})-\text{CH}_2$	Alkyne-PEG-EO		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-methacryloyl poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{C}(=\text{O})-\text{C}(\text{CH}_3)=\text{CH}_2$	Alkyne-PEG-MA		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-succinimidyl poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{C}(=\text{O})-\text{O}-\text{N}=\text{C}(\text{O})-\text{C}_3\text{H}_4$	Alkyne-PEG-SC		2,000 3,500 5,000 10,000 20,000
α-Alkynyl-ω-maleimidyl poly(ethylene glycol)	$\text{HC}\equiv\text{C}-\text{CH}_2-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n\text{CH}_2\text{CH}_2-\text{N}=\text{C}(\text{O})-\text{C}_3\text{H}_4$	Alkyne-PEG-MAL		2,000 3,500 5,000 10,000 20,000



## Linear PEG-Heterobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
α-Formyl-ω-carboxyl poly(ethylene glycol)	<chem>OHC-(CH2CH2O)nCH2-COOH</chem>	OHC-PEG-COOH		2,000 3,500 5,000 10,000 20,000
α-Formyl-ω-azido poly(ethylene glycol)	<chem>OHC-(CH2CH2O)nCH2CH2-N3</chem>	OHC-PEG-N3		2,000 3,500 5,000 10,000 20,000
α-Formyl-ω-glycidyl poly(ethylene glycol)	<chem>OHC-(CH2CH2O)nCH2-CH(O)C=C</chem>	OHC-PEG-EO		2,000 3,500 5,000 10,000 20,000
α-Formyl-ω-methacryloyl poly(ethylene glycol)	<chem>OHC-(CH2CH2O)nC(=O)-C(CH3)=CH2</chem>	OHC-PEG-MA		2,000 3,500 5,000 10,000 20,000
α-Formyl-ω-succinimidyl poly(ethylene glycol)	<chem>OHC-(CH2CH2O)nC(=O)-O-N1C(=O)CCC1</chem>	OHC-PEG-SC		2,000 3,500 5,000 10,000 20,000
α-Carboxyl-ω-amino poly(ethylene glycol)	<chem>HOOC-CH2-O-(CH2CH2O)nCH2CH2-NH2</chem>	HOOC-PEG-NH2		2,000 3,500 5,000 10,000 20,000
α-Carboxyl-ω-mercaptopoly(ethylene glycol)	<chem>HOOC-CH2-O-(CH2CH2O)nCH2CH2-SH</chem>	HOOC-PEG-SH		2,000 3,500 5,000 10,000 20,000
α-Carboxyl-ω-isocyanato poly(ethylene glycol)	<chem>HOOC-CH2-O-(CH2CH2O)nCH2CH2-N3</chem>	HOOC-PEG-NCO		2,000 3,500 5,000 10,000 20,000
α-Carboxyl-ω-azido poly(ethylene glycol)	<chem>HOOC-CH2-O-(CH2CH2O)nC(=O)-NH-(CH2)6NCO</chem>	HOOC-PEG-N3		2,000 3,500 5,000 10,000 20,000



## Linear PEG-Heterobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
α-Carboxyl-ω-glycidyl poly(ethylene glycol)	<chem>HOOC-CH2-O-(CH2CH2O)n-CH2-CH(O)CH2</chem>	HOOC-PEG-EO		2,000 3,500 5,000 10,000 20,000
α-Carboxyl-ω-methacryloyl poly(ethylene glycol)	<chem>HOOC-CH2-O-(CH2CH2O)n-C(=O)-C(CH3)=CH2</chem>	HOOC-PEG-MA		2,000 3,500 5,000 10,000 20,000
α-Methacryloyl-ω-amino poly(ethylene glycol)	<chem>H2C=C(=O)-C(CH3)-O-(CH2CH2O)n-CH2CH2-NH2</chem>	MA-PEG-NH2		2,000 3,500 5,000 10,000 20,000
α-Methacryloyl-ω-isocyanato poly(ethylene glycol)	<chem>H2C=C(=O)-C(CH3)-O-(CH2CH2O)n-C(=O)-NH(CH2)6NCO</chem>	MA-PEG-NCO		2,000 3,500 5,000 10,000 20,000
α-Methacryloyl-ω-azido poly(ethylene glycol)	<chem>H2C=C(=O)-C(CH3)-O-(CH2CH2O)n-CH2CH2-N3</chem>	MA-PEG-N3		2,000 3,500 5,000 10,000 20,000
α-Methacryloyl-ω-glycidyl poly(ethylene glycol)	<chem>H2C=C(=O)-C(CH3)-O-(CH2CH2O)n-CH2-CH(O)CH2</chem>	MA-PEG-EO		2,000 3,500 5,000 10,000 20,000
α-Methacryloyl-ω-succinimidyl poly(ethylene glycol)	<chem>H2C=C(=O)-C(CH3)-O-(CH2CH2O)n-C(=O)-O-N1CCCC1=O</chem>	MA-PEG-SC		2,000 3,500 5,000 10,000 20,000
α-Methacryloyl-ω-maleimidyl poly(ethylene glycol)	<chem>H2C=C(=O)-C(CH3)-O-(CH2CH2O)n-CH2CH2-N1C=CC(=O)C1=O</chem>	MA-PEG-MAL		2,000 3,500 5,000 10,000 20,000
α-Maleimidyl-ω-isocyanato poly(ethylene glycol)	<chem>NC1=CC(=O)C1=O-(CH2CH2O)n-CH2CH2-O-C(=O)-NH(CH2)6NCO</chem>	MAL-PEG-NCO		2,000 3,500 5,000 10,000 20,000



## Linear PEG-Heterobifunctional

製品名	構造式	略語	CAS	分子量 (Mn)
$\alpha$ -Azido- $\omega$ -amino poly(ethylene glycol)	$N_3-(CH_2CH_2O)_nCH_2CH_2-NH_2$	N3-PEG-NH2		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Azido- $\omega$ -mercapto poly(ethylene glycol)	$N_3-(CH_2CH_2O)_nCH_2CH_2-SH$	N3-PEG-SH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Azido- $\omega$ -succinimidyl poly(ethylene glycol)	$N_3-(CH_2CH_2O)_nC(=O)-O-N(C(=O)C=C)C(=O)$	N3-PEG-SC		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Azido- $\omega$ -maleimidyl poly(ethylene glycol)	$N_3-(CH_2CH_2O)_nCH_2CH_2-N(C(=O)C=C)C(=O)$	N3-PEG-MAL		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Amino- $\omega$ -mercapto poly(ethylene glycol)	$NH_2-(CH_2CH_2O)_nCH_2CH_2-SH$	H2N-PEG-SH		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Succinimidyl- $\omega$ -maleimidyl poly(ethylene glycol)	$N-C(=O)C=C-O-C(=O)O-(CH_2CH_2O)_nCH_2CH_2-N(C(=O)C=C)C(=O)$	SC-PEG-MAL		2,000 3,500 5,000 10,000 20,000
$\alpha$ -Maleimidyl- $\omega$ -amino Poly(ethylene glycol)	$C(=O)N(C(=O)C=C)-(CH_2CH_2O)_nCH_2CH_2-NH_2$	MAL-PEG-NH2		2,000 3,500 5,000 10,000 20,000

